

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Revision Date 09-Feb-2024 **Revision Number** 9

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1. Product identifier

Product Description: Borane dimethyl sulfide complex, 2M solution in Toluene

Cat No.: 186960000; 186961000; 186968000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals. Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name

Fisher Scientific UK Bishop Meadow Road,

Loughborough, Leicestershire LE11 5RG, United Kingdom

EU entity/business name Thermo Fisher Scientific

Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 CHEMTREC Tel. No. US:001-800-424-9300 / Europe:001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Flammable liquids Category 2 (H225) Substances/mixtures which, in contact with water, emit flammable gases Category 1 (H260)

Health hazards

Aspiration Toxicity Category 1 (H304) Acute oral toxicity Category 4 (H302) Acute dermal toxicity Category 4 (H312)

ACR18696

Borane dimethyl sulfide complex, 2M solution in Toluene

Revision Date 09-Feb-2024

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Reproductive Toxicity

Specific target organ toxicity - (single exposure)

Category 2 (H315)

Category 1 (H318)

Category 1B (H360FD)

Category 3 (H336)

Specific target organ toxicity - (single exposure)

Specific target organ toxicity - (repeated exposure)

Category 3 (H336)

Category 2 (H373)

Environmental hazards

Chronic aquatic toxicity Category 3 (H412)

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H225 - Highly flammable liquid and vapor

H260 - In contact with water releases flammable gases which may ignite spontaneously

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H318 - Causes serious eye damage

H336 - May cause drowsiness or dizziness

H360FD - May damage fertility. May damage the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

H302 + H312 - Harmful if swallowed or in contact with skin

EUH014 - Reacts violently with water

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P231 + P232 - Handle and store contents under inert gas. Protect from moisture

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P331 - Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

Additional EU labelling

Restricted to professional users

2.3. Other hazards

Reacts violently with water

Stench

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

Revision Date 09-Feb-2024

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

| Component | CAS No | EC No | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|--|------------|-------------------|----------|--|
| Boron, trihydro[thiobis[methane]]-, (T-4)- | 13292-87-0 | EEC No. 236-313-6 | 17.75 | Flam. Liq. 2 (H225) Water-react. 1 (H260) Repr. 1B (H360FD) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 2 (H412) (EUH014) |
| Toluene | 108-88-3 | 203-625-9 | 82.25 | Flam. Liq. 2 (H225) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) STOT SE 3 (H336) Repr. 2 (H361d) STOT RE 2 (H373) Aquatic Chronic 3 (H412) |

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call

a physician or poison control center immediately. If vomiting occurs naturally, have victim

lean forward.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur. Risk of serious damage to the lungs (by aspiration).

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Causes severe eye damage. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Symptoms may be delayed.

SECTION 5: FIREFIGHTING MEASURES

Borane dimethyl sulfide complex, 2M solution in Toluene

Revision Date 09-Feb-2024

5.1. Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

Water.

5.2. Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Reacts violently with water.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO2), Sulfur oxides, Oxides of boron, Hydrogen.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Do not expose spill to water. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Ensure adequate ventilation. Do not allow contact with water. Handle under an inert atmosphere. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Flammables area. Keep away from heat, sparks and flame. Keep container tightly closed in a dry and well-ventilated place. Keep refrigerated. Keep away from water or moist air. Store under an inert atmosphere. Protect from moisture.

Borane dimethyl sulfide complex, 2M solution in Toluene

Revision Date 09-Feb-2024

Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component | The United Kingdom | European Union | Ireland |
|-----------|------------------------------------|-------------------------------------|------------------------------------|
| Toluene | STEL: 100 ppm 15 min | TWA: 50 ppm (8hr) | TWA: 192 mg/m ³ 8 hr. |
| | STEL: 384 mg/m ³ 15 min | TWA: 192 mg/m³ (8hr) | TWA: 50 ppm 8 hr. |
| | TWA: 50 ppm 8 hr | STEL: 100 ppm (15min) | STEL: 384 mg/m ³ 15 min |
| | TWA: 191 mg/m ³ 8 hr | STEL: 384 mg/m ³ (15min) | STEL: 100 ppm 15 min |
| | Skin | Skin | Skin |

Biological limit values

List source(s):

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component | Acute effects local (Oral) | Acute effects systemic (Oral) | Chronic effects local (Oral) | Chronic effects systemic (Oral) |
|-------------------------------|----------------------------|-------------------------------|------------------------------|---------------------------------|
| Toluene 108-88-3 (82.25) | | | | 8.13 mg/kg bw/day |

| | Component | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|---|-------------------------------|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| ſ | Toluene 108-88-3 (82.25) | | | | DNEL = 384mg/kg bw/day |

| Component | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|-------------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Toluene 108-88-3 (82.25) | DNEL = 384mg/m ³ | DNEL = 384mg/m ³ | DNEL = 192mg/m ³ | DNEL = 192mg/m ³ |

Predicted No Effect Concentration (PNEC)

See values below.

| | Component | Fresh water | Fresh water | Water Intermittent | Microorganisms in | Soil (Agriculture) |
|---|--------------------|-----------------|-------------|--------------------|-------------------|--------------------|
| | | | sediment | | sewage treatment | |
| Γ | Toluene | PNEC = 0.68mg/L | PNEC = | PNEC = 0.68mg/L | PNEC = 13.61mg/L | PNEC = 2.89mg/kg |
| | 108-88-3 (82.25) | | 16.39mg/kg | | | soil dw |
| | | | sediment dw | | | |

| Component | Marine water | Marine water sediment | Marine water intermittent | Food chain | Air |
|--------------------|-----------------|--------------------------|---------------------------|------------|-----|
| Toluene | PNEC = 0.68mg/L | PNEC = | | | |
| 108-88-3 (82.25) | | 16.39mg/kg | | | |

Borane dimethyl sulfide complex, 2M solution in Toluene

Revision Date 09-Feb-2024

| | | | |
|---|---------------|------|---|
| | | | |
| I | sediment dw | | i |
| I | 36difficit dw | | i |
| | | | 1 |

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments |
|----------------|-------------------|-----------------|-------------|-----------------------|
| Nitrile rubber | See manufacturers | - | EN 374 | (minimum requirement) |
| Viton (R) | recommendations | | | · |

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: low boiling organic solvent Type AX Brown conforming to EN371 or Organic gases and vapours filter Type A Brown conforming to EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance

Odor Stench

Odor Threshold
Melting Point/Range
Softening Point
Boiling Point/Range
No data available
No data available
No information available

Flammability (liquid) Highly flammable On basis of test data

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Borane dimethyl sulfide complex, 2M solution in Toluene

Revision Date 09-Feb-2024

7 °C / 44.6 °F Method - No information available **Flash Point**

Emitted gas ignites spontaneously

Autoignition Temperature No data available **Decomposition Temperature** No data available pН No information available **Viscosity** No data available

Water Solubility Immiscible Reacts violently with water

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component Toluene 2.73

No data available **Vapor Pressure**

Density / Specific Gravity 0.856

Not applicable Liquid **Bulk Density Vapor Density** No data available (Air = 1.0)

Not applicable (liquid) Particle characteristics

9.2. Other information

Explosive Properties Vapors may form explosive mixtures with air

Substances/mixtures which, in

contact with water, emit flammable

gases

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity Yes

10.2. Chemical stability

Moisture sensitive.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

None under normal processing. Reacts violently with water. **Hazardous Reactions**

10.4. Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition. Exposure to moist air or water. Exposure to moisture.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO₂). Sulfur oxides. Oxides of boron. Hydrogen.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral Category 4 **Dermal** Category 4

Inhalation Based on available data, the classification criteria are not met

Toxicology data for the components

Borane dimethyl sulfide complex, 2M solution in Toluene

Revision Date 09-Feb-2024

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--|--------------------|----------------------|---------------------|
| Boron, trihydro[thiobis[methane]]-, (T-4)- | <500 mg/kg (Rat) | >2000 mg/kg (Rabbit) | - |
| Toluene | > 5000 mg/kg (Rat) | 12000 mg/kg (Rabbit) | 26700 ppm (Rat) 1 h |

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

No data available Respiratory Skin No data available

No data available (e) germ cell mutagenicity;

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Category 1B

(h) STOT-single exposure; Category 3

Results / Target organs Central nervous system (CNS).

(i) STOT-repeated exposure; Category 2

Target Organs Neuropsychological effects, Eyes, Ears.

(j) aspiration hazard; Category 1

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The product contains following substances which are hazardous for the environment. **Ecotoxicity effects**

Contains a substance which is:. Toxic to aquatic organisms. Reacts with water so no

ecotoxicity data for the substance is available.

| Component | Freshwater Fish | Water Flea | Freshwater Algae |
|-----------|----------------------|-----------------------------|-----------------------------------|
| Toluene | 50-70 mg/L LC50 96 h | EC50: = 11.5 mg/L, 48h | EC50: = 12.5 mg/L, 72h static |
| | 5-7 mg/L LC50 96 h | (Daphnia magna) | (Pseudokirchneriella subcapitata) |
| | 15-19 mg/L LC50 96 h | EC50: 5.46 - 9.83 mg/L, 48h | EC50: > 433 mg/L, 96h |
| | 28 mg/L LC50 96 h | Static (Daphnia magna) | (Pseudokirchneriella subcapitata) |
| | 12 mg/L LC50 96 h | | |

| Component | Microtox | M-Factor |
|-----------|-------------------------|----------|
| Toluene | EC50 = 19.7 mg/L 30 min | |

Borane dimethyl sulfide complex, 2M solution in Toluene

Revision Date 09-Feb-2024

12.2. Persistence and degradability

Persistence Persistence is unlikely. Degradability Reacts with water.

| Component | Degradability | |
|--------------------|---------------|--|
| Toluene | 86% (20d) | |
| 108-88-3 (82.25) | | |

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants. Reacts violently with water.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

| Component | log Pow | Bioconcentration factor (BCF) | |
|-----------|---------|-------------------------------|--|
| Toluene | 2.73 | 90 | |

12.4. Mobility in soil Reacts violently with water Spillage unlikely to penetrate soil The product is insoluble and

floats on water . Is not likely mobile in the environment. Is not likely mobile in the

environment due its low water solubility.

12.5. Results of PBT and vPvB

assessment

Reacts violently with water.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

> application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Do not let this chemical enter

the environment.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number UN3399

ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE 14.2. UN proper shipping name

Borane dimethyl sulfide complex, 2M solution in Toluene

Revision Date 09-Feb-2024

Technical Shipping Name Toluene, Boron, trihydro[thiobis[methane]]-, (T-4)-

14.3. Transport hazard class(es) 4.3 3 **Subsidiary Hazard Class** 14.4. Packing group Ι

ADR

14.1. UN number UN3399

14.2. UN proper shipping name ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE

Technical Shipping Name Toluene, Boron, trihydro[thiobis[methane]]-, (T-4)-

14.3. Transport hazard class(es) 4.3 3 **Subsidiary Hazard Class** 14.4. Packing group I

IATA

14.1. UN number UN3399

14.2. UN proper shipping name ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE

Technical Shipping Name Toluene, Boron, trihydro[thiobis[methane]]-, (T-4)-

14.3. Transport hazard class(es) 4.3 3 **Subsidiary Hazard Class** Ι 14.4. Packing group

14.5. Environmental hazards No hazards identified

No special precautions required. 14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|-------------------------------------|------------|-----------|--------|-----|-------|------|-----------|------|------|
| Boron, trihydro[thiobis[methane]]-, | 13292-87-0 | 236-313-6 | - | - | Х | X | 2008-1-56 | - | Х |
| (T-4)- | | | | | | | 0 | | |
| Toluene | 108-88-3 | 203-625-9 | - | - | X | X | KE-33936 | X | Х |

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|--|------------|------|---|-----|------|------|-------|-------|
| Boron, trihydro[thiobis[methane]]-, (T-4)- | 13292-87-0 | Х | ACTIVE | - | Х | 1 | Х | - |
| Toluene | 108-88-3 | Χ | ACTIVE | Х | - | Х | Х | Х |

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|--|------------|---|--------------------------|---|
| Boron, trihydro[thiobis[methane]]-, (T-4)- | 13292-87-0 | - | - | - |
| Toluene | 108-88-3 | - | Use restricted. See item | - |

Borane dimethyl sulfide complex, 2M solution in Toluene

Revision Date 09-Feb-2024

| | 48. (see link for restriction details) Use restricted. See item | |
|--|--|--|
| | 75. | |
| | (see link for restriction details) | |

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - | Seveso III Directive (2012/18/EC) - |
|------------------------------|------------|--|---|
| | | Qualifying Quantities for Major Accident | Qualifying Quantities for Safety Report |
| | | Notification | Requirements |
| Boron, | 13292-87-0 | Not applicable | Not applicable |
| trihydro[thiobis[methane]]-, | | | |
| (T-4)- | | | |
| Toluene | 108-88-3 | Not applicable | Not applicable |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification Water endangering class = 3 (self classification)

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-------------------------------------|---------------------------------------|-------------------------|
| Boron, | WGK1 | |
| trihydro[thiobis[methane]]-, (T-4)- | | |
| Toluene | WGK3 | |

| Component | France - INRS (Tables of occupational diseases) |
|-----------|--|
| Toluene | Tableaux des maladies professionnelles (TMP) - RG 4bis,RG 84 |

| Component | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|----------------------------|--|---|--|
| Toluene 108-88-3(82.25) | Prohibited and Restricted Substances | Group I | |

15.2. Chemical safety assessment

Revision Date 09-Feb-2024

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H260 - In contact with water releases flammable gases which may ignite spontaneously

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H318 - Causes serious eye damage

H336 - May cause drowsiness or dizziness

H360FD - May damage fertility. May damage the unborn child

H360Fd - May damage fertility. Suspected of damaging the unborn child

H361d - Suspected of damaging the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

EUH014 - Reacts violently with water

H225 - Highly flammable liquid and vapor

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances Substances List **ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

MARPOL - International Convention for the Prevention of Pollution from Shins

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts. Chemical incident response training.

Revision Date 09-Feb-2024

Revision Summary SDS sections updated.

Borane dimethyl sulfide complex, 2M solution in Toluene

Revision Date 09-Feb-2024

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet